

geo^{BY GEORGES}
SLAB



EXTRA
GLOSS


1200X1800MM

GRES
MATT




GEOGRES IS FORMED BY DYNAMIC, PROFESSIONAL
PEOPLE WITH A MIND ALWAYS FOCUSED ON GIVING THE
BEST OF THE CERAMIC PRODUCT. CONSTANT INNOVATION
IS OUR WAY OF UNDERSTANDING WORK, THAT IS WHY WE
ARE ALWAYS DEVELOPING NEW PRODUCTS, NEW WAYS TO
IMPROVE OUR PORTFOLIO AND TO OFFER OUR CUSTOMERS
CERAMICS THAT HELP THEM EVOLVE.

Celebrating

8TH KILN LAUNCHING



1200X1800MM





T H E R E A R E N O L I M I T S T O

SPACE

T H E R E A R E N O L I M I T S T O

DESIGN

2 0 2 2

COLLECTION



1200X1800MM



geo BY GRES
SLAB

Presenting

1200X1800MM

with



SPECIFICATION



THE
PERFECT
MARBLE
LOOK

THE
PERFECT
MARBLE
FEEL



EXTRA
GLOSS


1200X1800MM

GRES
MATT




CONTINUA+ TECHNOLOGY

CONTINUA+ IS THE MOST EFFICIENT, HIGHEST-PRODUCTIVITY
TECHNOLOGY FOR THE ACCURATELY MANAGED MANUFACTURE OF
CERAMIC SLABS AND TILES, ALSO PRODUCIBLE WITH
TRADITIONAL BODIES. THE SLABS ARE, IN FACT, FORMED
WITHOUT USING A TRADITIONAL PRESS OR MOULD, ENSURING
MAXIMUM FLEXIBILITY IN TERMS OF SIZE AND THICKNESS



1200X1800MM





TECHNICAL ADVANTAGE



1200X1800MM



INTRODUCING

SO SMOOOTHY
ANTI SCRATCH
SO HYGIENIC
ANTI STAIN

SO SMOOOTHY
ANTI SCRATCH
SO HYGIENIC
ANTI STAIN



ANTI STAIN
SO HYGIENIC
ANTI SCRATCH
SO SMOOOTHY

ANTI STAIN
SO HYGIENIC
ANTI SCRATCH
SO SMOOOTHY



EXTRA
GLOSS
★ ★ ★

1200X1800MM





G R E S M A T T I S A L U X U R I O U S E X P E R I E N C E ,

I T I S A S U R F A C E

F E E L O F A N A T U R A L

U T T E R L Y S M O O T H

T O C R E A T E A

W E S K I L L F U L L Y

W O R L D ' S M O S T



I N S P I R E D B Y T H E

M A R B L E , W H I C H I S

& C O N T E M P O R A R Y ,

S U R F A C E L I K E T H I S

C O M B I N E D T H E

A D V A N C E A N D

I N N O V A T I V E T E C H N O L O G I E S I N S I D E O U R P L A N T




1200X1800MM






CARVING



ARMANI
BEIGE




ARMANI
GREY




CALCATT
LIGHT



CARRARA



CINATI
BEIGE



CINATI
GREY




DOLOMITE
SPIDER




PIETRA
BEIGE



PIETRA
GREY




MICHEL
ANGELO




URBAN
MARFIL



URBAN
CORTEN



URBAN
GREY



URBAN
GRAFITE

ARMANI BEIGE

NEW



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

ARMANI BEIGE



ARMANI GREY

NEW



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM



CALCATTALIGHT

NEW



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP




1200X1800MM


9 MM

CALCATTALIGHT





EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP






CINATI
BEIGE




EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



9 MM






CINATI
GREY



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM


9 MM



DOLOMITE
SPIDER



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP

DOLOMITE SPIDER



PIETRA BEIGE



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

PIETRA BEIGE



PIETRA GREY



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM



M I C H E L
A N G E L O



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM






U R B A N M A R F I L



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM






EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP





U R B A N G R E Y



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

U R B A N G R E Y






EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP






**EXTRA
GLOSS**






ARMANI
BEIGE



ARMANI
GREY



CALCATT
LIGHT




BEIGE
NURHAK



BRESCIA
VENECIA



BURBARRY
BEIGE




BURBARRY
GREY




CABALLERO
BLANCO




CARRARA



CHARISMA
IVORY



CRYSTAL
ONXY




CLASSIC
ONXY



DOLOMITE
SPIDER



ERAMOSA
BEIGE




ICELAND



LAMBRADORITE



MADISON
BEIGE




MADISON
BONE



ONIX
OCEAN




PANTAGONIA



PIETRA
BEIGE



PIETRA
GREY




PIETRA
BIANCO



SATORI
STATUARIO



STATUARIO
ROCA



TIGER
ONYX



PIANETTO
NATURAL



BRESCIA
VENECIA

ARMANI BEIGE

NEW



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP






ARMANI
GREY



NEW



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

ARMANI
GREY



CALCATTALIGHT

NEW



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP

CALCATA LIGHT



BEIGE
NURHAK



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP




BEIGE NURHAK





EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP





BURBARRY
BEIGE



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM





BURBARRY GREY



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

BURBARRY
GREY





CABALLERO BLANCO



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM


9 MM

CABALLERO BLANCO





CARRARA



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM





CHARISMA IVORY



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

CHARISMA
IVORY





CRYSTAL
ONYX



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM





CLASSIC
ONYX



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

CLASSIC
ONYX





DOLOMITE SPIDER



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

DOLOMITE SPIDER






ERAMOSA
BEIGE



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



9 MM

ERAMOSA BEIGE





I C E L A N D



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP




1200X1800MM

9 MM





EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP






MADISON
BEIGE



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

MADISON BEIGE





MADISON BONE



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP




9 MM

MADISON BONE





ONIX
OCEAN



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

ONIX
OCEAN





EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP






PIETRA
BEIGE



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

PIETRA BEIGE





PIETRA
GREY



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM





PIETRA
BIANCO



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM



SATORI STATUARIO



EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP

SATORI STATUARIO



STATUARIO ROCA




EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP

1200X1800MM

9 MM





TIGER
ONYX



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP



1200X1800MM

9 MM

TIGER
ONYX






PIANETTO
NATURAL



EXPLORE IN
360 VIEW




EXPLORE REAL
TILE SETUP




1200X1800MM

9 MM





EXPLORE IN
360 VIEW



EXPLORE REAL
TILE SETUP



TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/ En14411 GROUP	VALUES	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO - 10545-2
Deviation in Thickness	±5%	±5%	ISO - 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO - 10545-2
Rectangularity	±0.5%	±0.2%	ISO - 10545-2
Surface Flatness	±0.5%	±0.2%	ISO - 10545-2
Colour Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
Structural Properties			
Water Absorption	≤0.05	≤0.05	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
Massive Mechanical Properties			
Modulus of Repture	Min 35N/mm ²	Min 40N/mm ²	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
Thermo Hygrometric Properties			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min. 10 Cycle	ISO - 10545-11
Chemical Properties			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

Packing Details

Dimension (mm)	No of PC's/Box	Square Feet	Weight (Approx)
1200 x 1800mm	2	46.50	92 KG.

TOUCH
WITH
US.

P: +91 98795 47435
E: export@geogres.in



Design By  360
Branding
Studio