



LUSTREY SERIES 23/24

60x120x09cm

Lustrey
SERIES

by

GeoGres[®]
the perfect surface

EXPERIENCE
the feel of real fabric


COLOUR IS A KEY ELEMENT
IN THE DESIGN OF ANY INTERIOR.




BROWN



CREMA



BLACK



PISTA



TEAL



WHITE



THE PERFECT *balance of colour*

DESIGN VERSATILITY

The range has been expanded and enhanced with the addition of a new palette of unique hues, resulting in stunning colour impact of luxury for your space and producing captivating fascination !

Colour is a key element in the design of any interior because it can influence our mood and convey precise sensations and messages. Working in close cooperation with trend forecasters, the style department has developed a range of Six solid colours capable of meeting all design needs and catering for key colour trends.

DISPLAYS DISTINCTIVE TASTE AND
A METROPOLITAN MOOD.

SIZE & THICKNESS

a feeling of luxury.

60 x 120 x 9 cm

Sizes For Limitless Beauty, Reducing The Number Of Horizontal And Vertical Joints And Making It Easy To Lay Large Slabs With A Minimum Thickness On Walls And Floors To Create Original Solutions With An Impressive Design!.

Lustrey Collection Is Manufactured Using The Highest Quality Of Material Ideal Forming A Base For A Tasteful, Comfortable Elegance For Your Space.



THE PERFECTLY *blend together*

AUTHENTICITY

The exceptional surface is achieved with the exclusive and patented technology. It takes the surface quality to where no other technology can reach. Laying your hands on it will make you realize the elegance of the finish and you will understand how the 'Posh' feels like. With this innovation, we have overcome the myth that smooth surfaces get scratches and stains.

Despite of having the feel of real fabric the LUSTRE SERIES is also resistance to scratch.



CONTEMPORARY AESTHETIC AND LASTING SOLUTIONS
FOR A SOPHISTICATED SPACE.



APPLICATIONS & *features*

Applicable
on floor



Applicable
on wall

GeoGres ceramic is a brand specialized in the commercialization of ceramic wall and floor coverings for indoors, outdoors and public spaces. GeoGres, presents both in the Indian market and internationally, is built on values such as passion, skill and professionalism.

A STRIKING DESIGN FEATURE.

CONTEMPORARY AESTHETIC AND LASTING SOLUTIONS
FOR A SOPHISTICATED SPACE.

Applicable
on floor




Applicable
on wall



FINISH : MATT

SIZE : 60X120CM

THICKNESS : 9MM



LUSTREY
BROWN DECORE


RANDOM : 3

Transforms your space into something
extra special.




LUSTREY
CREMA

RANDOM : 1



LUSTREY
BROWN

RANDOM : 1





CONTEMPORARY HOME DECORATION AND
ARCHITECTURE.

Applicable
on floor




Applicable
on wall



FINISH : MATT

SIZE : 60X120CM



THICKNESS : 9MM



LUSTREY
GREY DECORE

RANDOM : 2

Create a feeling of spaciousness and understated elegance.



LUSTREY
WHITE

RANDOM : 1



LUSTREY
BLACK

RANDOM : 1





AN EFFECT THAT IS SEAMLESS,
BUT NOT MONOTONOUS.

Applicable
on floor



Applicable
on wall



FINISH : MATT

SIZE : 60X120CM


THICKNESS : 9MM



LUSTREY
TEAL

RANDOM : 1

Displays distinctive taste and a metropolitan mood.



LUSTREY
PISTA

RANDOM : 1





TECHNICAL SPECIFICATION

SRNO.	CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	GEO GRES VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in length & Width	ISO 10545-2	± 1 MM	± 0.2 MM
2	Deviation in Thickness	ISO 10545-2	± 0.5 MM	± 0.3 MM
3	Straightness Of sides	ISO 10545-2	± 0.8 MM	± 0.4 MM
4	Rectangularity	ISO 10545-2	± 1.5 MM	± 0.6 MM
5	Surface Flatness	ISO 10545-2	± 1.8 MM	± 0.7 MM
PHYSICAL & THERMAL PROPERTIES				
1	Water Absorption	ISO 10545-3	<0.50%	< 0.10%
2	Mohs Hardness	EN-101	Min.5	Min.5
3	Flexural Strength	ISO 10545-4	>35N/mm2	>38N/mm2
4	Skid Resistance	ISO 10545-17	>0.4	>0.4
5	Breaking Strength	ISO 10545-11	>1113N	>1800N
6	Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
7	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
8	Moisture Expansion	ISO 10545-10	Nil	Nil
9	Resistance to surface Abrasion	ISO 10545-7	Abrasion class shall be specified by the manufacturer	PEI III

CHEMICAL PROPERTIES

1	Chemicals Resistance	ISO 10545-13	No Damage	No Damage
2	Color Resistance	ISO 10545-16	No Damage	No Damage
3	Stain Resistance	ISO 10545-14	Resistant	Resistant

PACKAGING DETAIL

SIZE	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX	THICKNESS
60X120CM	2	1.44	28 KG.	9 MM

GeoGres Tiles

Opp. 132 KVA Sub-Station
8-A N.H, Lalpar, Morbi-363642
Gujarat, INDIA

P: +91 98795 47435
E: export@geogres.in



Design By  **360
Branding
Studio**