

FEEL THE ARTS EXPRESSION OF ARCHITECTURE 1200x2780mm 1200x1200mm 600x1200mm



FROM THE BEGINNING TO THE FUTURE



MOVE ON DISCOVERY

At Geogres, we design products that set forth examples of sheer creativity, passion, and an immense amount of hard work.

Incorporating advanced technology and high-quality material into our entire product is what makes us the leaders in the ceramic industry. All of our designs are made to suit the aesthetic of your space.

They are refined, contemporary, and built to perfection. Our designs are intricately made and bear an imperial charm to them.







A MIX OF CONTEMPORARY AESTHETICS AND TIMELESS


ELEGANCE


AUOY OF


The delicate elegance of natural weaves, colours and finish, stylistic features inspired by the mix of clay minerals, offers a calm expressive composure, able to create harmonious balances in the space. Our product naturally mixed with marbles and all other precious materials, enhancing their timeless beauty in any design.




A COMPLETE PRODUCT SYSTEM ____









EXTRA SIZE

HEAT RESISTANT

FROST RESISTANT

SCRATCH RESISTANT

ACID AND ALKALI RESISTANT

STAIN RESISTANT

WATERPROOF AND NONPOROUS

HYGIENIC, MOLD AND MILDEW RESISTANT

LOW MAINTENANCE

CHEMICAL RESISTANT



DEVINE GREY BOOKMATCH



ARBESCATO BOOKMATCH



TAP ON ANY TILES TO EXPLORE IT.

ARMANI GREY



PANTAGONIA NATURAL



ONYX WHITE



ASTONA SILVER

ONICE NERO





TAP ON ANY TILES TO EXPLORE IT.

ROYAL MERQUINA





ICONA GREY







LILAC WHITE



ARBESCATO







AMALGAMATION OF MAGNIFICENCE AND SUPREMACY.



BOOKMATCH

ARBESCATO

AVALABLE SIZE & FINISH

1200x2780mm

SUPER HIGH GLOSS



BOOKMATCH POSSIBILITIES

ARBESCATO

1200x2780mm

180° DEGREE

В Α 180



180° DEGREE








180

DEVINE GREY







TRANSFORMING EVERY INSPIRATION AND DESIGN NEED INTO REALITY.

Α



BOOKMATCH



AVALABLE SIZE & FINISH

1200x2780mm

SUPER HIGH GLOSS




BOOKMATCH POSSIBILITIES

DEVINE GREY

1200x2780mm

180° DEGREE






















CROWN STATUARIO







SIMPLICITY, FRESHNESS, WARMTH AND STYLISTIC IMMEDIACY.





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm


AVALABLE SIZES & FINISH







PIETRA NERO







EXPANDS THE POSSIBILITIES OF CREATION AND DESIGN.





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm

AVALABLE SIZES & FINISH





ARMANI GREY







MAXIMISE THE DECORATIVE POTENTIAL OF THE SPACE.





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm

AVALABLE SIZES & FINISH



ARMANI GREY

PANTAGONIA NATURAL







EXTRAORDINARY VISUAL, AESTHETIC AND FUNCTIONAL CONTINUITY.





AVALABLE SIZES & FINISH

1200x2780mm 1200x1200mm 600x1200mm


SUPER HIGH GLOSS



ONYX WHITE







BLENDS TRADITIONAL CRAFTSMANSHIP WITH CONTEMPORARY STYLE.





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm


AVALABLE SIZES & FINISH





ASTONA SILVER







COMBINING TEXTURES AND TONES TO CREATE A CAPTIVATING SPACE.





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm

AVALABLE SIZES & FINISH






ONICE NERO







PUT TOGETHER A MODERN SPACE WITH UNMATCHED ELEGANCE.





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm


AVALABLE SIZES & FINISH





ROYAL MERQUINA







ADD PERENNIAL FASCINATION TO YOUR SPACE.





AVALABLE SIZES & FINISH


1200x2780mm 1200x1200mm 600x1200mm


HIGH GLOSS



BIANCO LASA








TRANSFORMING EVERY INSPIRATION AND DESIGN NEED INTO REALITY.

ENDMATCH





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm

AVALABLE SIZES & FINISH



BIANCO LASA

POSSIBILITIES



BIANCO LASA 1200x2780mm



RANDOM FEEL

 \geq

RIGATO WHITE







COMBINING AN ELEGANT LOOK WITH SUPERIOR TECHNICAL QUALITIES.

ENDMATCH





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm

AVALABLE SIZES & FINISH






POSSIBILITIES

ENDMATCH FEEL

RANDOM FEEL



RIGATO WHITE 1200x2780mm




 \geq

CALACATTA BRONZO








A PARTICULAR SENSE OF POETRY AND A DISTINCTIVE AND AESTHETIC CHARACTER.

ENDMATCH





${\small SUPER} {\small HIGH} {\small GLOSS}$

1200x2780mm 1200x1200mm 600x1200mm

AVALABLE SIZES & FINISH






POSSIBILITIES

ENDMATCH FEEL

RANDOM FEEL



CALACATTA BRONZO 1200x2780mm



 \rightarrow

GRIGIO SIENA







OUR COLLECTION TURNS ANY DESIGN IN AN OUTSTANDING SPACE.

ENDMATCH





SUPER HIGH GLOSS

1200x2780mm 1200x1200mm 600x1200mm

AVALABLE SIZES & FINISH





POSSIBILITIES

ENDMATCH FEEL

RANDOM FEEL








 \geq

ICONA GREY










ELEGANT, BALANCED COLOURS AND PATTERNS THAT ENRICH ANY SPACE.





AVALABLE SIZES & FINISH

1200x2780mm 1200x1200mm 600x1200mm

TECH. MATT




ICONA SLATE







UNEXPECTED PERSONAL STYLES UNLEASHED BY NEW, VIBRANT SHADES OF COLOUR.





AVALABLE SIZES & FINISH


1200x2780mm 1200x1200mm 600x1200mm

TECH. MATT




ICONA BIANCO







EVOKING NATURALNESS AND MAKING LIVING SPACES CONTEMPORARY.





AVALABLE SIZES & FINISH


1200x2780mm 1200x1200mm 600x1200mm


TECH. MATT



PIACENTINA BONE







ELEGANT AND VIVID COLOURS THAT ENHANCE THE NATURAL BEAUTY.



PIACENTINA BONE

AVALABLE SIZES & FINISH

1200x2780mm 1200x1200mm 600x1200mm

TECH.MATT



TRAVENTINO







FIT IN WITH A WIDE VARIETY OF DIFFERENT SETTINGS.





AVALABLE SIZES & FINISH

1200x2780mm 1200x1200mm 600x1200mm

GRESMATT



LILAC WHITE







EVOKING NATURALNESS AND MAKING LIVING SPACES CONTEMPORARY.





AVALABLE SIZES & FINISH

1200x2780mm 1200x1200mm 600x1200mm

GRESMATT



CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

| TYPES OF STAIN | CHEMICAL PRODUCT | EXAMPLE | | | |
|----------------|--------------------|--|--|--|--|
| Grease | Alkaline - Solvent | Detergent | | | |
| Oil | Solvent | Ammonia, Backing Soda | | | |
| Ink | Oxidant - Solvent | Alcohol, Liquid Bleach, Nail Paint Remover | | | |
| Rust | Acid | Hydrochloric Acid, Vinegar, Red Harpic | | | |
| Lime | Acid | Descaling Reagent, Hydro Chloric Acid | | | |
| Cement | Acid | Hydro Chloric Acid | | | |
| Wine | Alkaline | Ammonia, Liquid Bleach | | | |
| Coffee | Alkaline - Solvent | Ammonia, Liquid Bleach | | | |
| Rubber | Solvent | Alcohol, Thinner | | | |
| Plaster | Acid | Hydro Chloric Acid | | | |
| Candle Wax | Solvent | Alcohol, Thinner | | | |
| lodine | Oxidant | Liquid Bleach | | | |
| Blood | Oxidant | Liquid Bleach | | | |
| Ice Cream | Alkaline | Liquid Bleach | | | |

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

PACKING DETAILS

| SIZE | THICKNESS | TILES / BOX | WEIGHT | COVERAGE AREA / BOX |
|--------------|-----------|-------------|--------|---------------------|
| 1200x2780 mm | 9mm | 1 Pcs. | 70 kg | 3.34 Sq Meter / Box |

TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO13006:2012/ EN14411 Gr.Bla | STANDARD AS PER IS15622:2017 Gr.Bla | MEAN VALUE OF GEOGRES | TEST METHOD | |
|--|---|---|-----------------------------------|----------------------------|--|
| Regulatory Properties | | | | | |
| Deviation in length and width | ± 0.50 % | ±0.10 % | ± 0.10 % | ISO 10545-2 & IS 13630-1 | |
| Deviation in thickness | ± 5.00 % | ± 5.00 % | ± 4.00 % | ISO 10545-2 & IS 13630-1 | |
| Straightness in side | ± 0.50 % | ±0.10 % | ± 0.10 % | ISO 10545-2 & IS 13630-1 | |
| Rectangularity | ± 0.60 % | ±0.10% | ± 0.10 % | ISO 10545-2 & IS 13630-1 | |
| Surface flatness Central Curvature | ± 0.50 % | ± 0.50 % | ± 0.10 % | ISO 10545-2 & IS 13630-1 | |
| Surface flatness Edge Curvature | ± 0.50 % | ± 0.50 % | ± 0.10 % | ISO 10545-2 & IS 13630-1 | |
| Surface flatness Warpage | ± 0.50 % | ± 0.50 % | ± 0.10 % | ISO 10545-2 & IS 13630-1 | |
| Surface Quality | > 95% defects free | > 95% defects free | > 95% defects free | ISO 10545-2 & IS 13630-1 | |
| Small Color Difference | ∆E < 0.75 | N.A. | No Change | ISO 10545-16 | |
| Glossiness (With Nano Polished) | As per Manufacturer | As per Manufacturer | > 90°* | Gloss Meter 60° | |
| Glossiness (Without Polished) | As per Manufacturer | As per Manufacturer | 7° < GLOSS < 14°* | Gloss Meter 60° | |
| Glossiness (Satin) | As per Manufacturer | As per Manufacturer | 15° < GLOSS < 25°* | Gloss Meter 60° | |
| Structural Properties | - | | | | |
| Water absorption | ≤ 0.50 % | ≤ 0.080 % | ≤ 0.050 % | ISO 10545-3 & IS 13630-2 | |
| Bulk density | > 2.00 g/cc | Min. 2.20 g/cc | > 2.28 gm/cc | DIN51082 & IS 13630-2 | |
| Massive Mechanical Properties | | - | | | |
| Modulus of rupture | Min. 35.0 N/mm ² | Min. 35.0 N/mm ² | Min. 37.0 N/mm ² | ISO 10545-4 & IS 13630-6 | |
| Breaking strength thickness <7.5 | Min. 700.0 N | Min. 700.0 N | Min. 1000.0 N | ISO 10545-4 & IS 13630-6 | |
| Breaking strength thickness ≥7.5 | Min. 1300.0 N | Min. 1300.0 N | Min. 1600.0 N | ISO 10545-4 & IS 13630-6 | |
| Surface Mechanical Properties —— | | | | | |
| MOH'S hardness | Min. 4 | Min. 5 | Min 4** | EN 101 & IS 13630-13 | |
| Surface abrasion resistance-Glossy # | As per Manufacturer | Min. Class II | Min. Class 2 / Min. Class II | ISO 10545-7 & IS 13630-11 | |
| Surface abrasion resistance-Matt # | As per Manufacturer | Min. Class II | Min. Class 3 / Min. Class II | ISO 10545-7 & IS 13630-11 | |
| Thermal Hygrometric Properties — | | | | | |
| Moisture expansion | Max. 0.06 | Max. 0.02 | NIL | ISO 10545-10 & IS 13630-3 | |
| Thermal expansion(COE) at 100°C | As per Manufacturer | Max. 7.0 x 10 ⁻⁶ | Max. 6.0 x 10 ⁻⁶ | ISO 10545-8 & IS 13630-4 | |
| Thermal shock resistance | Min. 10 Cycle | Min. 10 Cycle | Min. 10 Cycle | ISO 10545-9 & IS 13630-5 | |
| Crazing Resistance at 7.5 Bar | As per Manufacturer | Min. 4 Cycle | Min. 6 Cycle | ISO 10545-11 & IS 13630-9 | |
| Impact resistance(COR) | As per Manufacturer | Min. 0.55 | Min. 0.55 | ISO 10545-5 & IS 13630-14 | |
| Frost resistance | As per Manufacturer | As per Manufacturer | Frost Proof | ISO 10545-12 & IS 13630-10 | |
| Chemical Properties | | | | | |
| Resistance to Staining Glazed | Min, Class 3 | Min. Class I | Min, Class 4/Min, Class I | ISO 10545-14 & IS 13630-8 | |
| Resistance to Household Chemicals &Swimming Pool Salts Glazed | Min. Class GB | Min. Class AA | Min. Class GA/Min. Class AA | ISO 10545-13 & IS 13630-8 | |
| **Resistance to Low Concentrate Acidand Alkalis Glazed | As per Manufacturer | As per Manufacturer | Min. Class GLB***/Min. Class A*** | ISO 10545-13 & IS 13630-8 | |
| **Resistance to High Concentrate Acidand Alkalis Glazed | As per Manufacturer | As per Manufacturer | Min. Class GHB***/Min. Class A*** | ISO 10545-13 & IS 13630-8 | |
| Safety Properties | | | | | |
| Skid resistance(DCOF-DRY) | As per Manufacturer | As per Manufacturer | > 0.40 | ISO 10545-17 | |
| Slip resistance(DCOF)(R value)## | As per Manufacturer | As per Manufacturer | N.A. | ISO 10545-17 | |
| Determination of Lead & Cadmium Release for Glazed Tiles | As per Manufacturer | N.A. | Dose not yield Pb & Cd | ISO 10545-15 | |
| Fire Resistance | As per Manufacturer | As per Manufacturer | Fire Proof | N.A. | |

* Glossiness 90% with nano technology ** Without nano technology (Unpolished Vitrified tiles) *** Except Hydrofluoric Acid & it's compound # Glaze tiles Intended for use on floor ## As per customer requirement

CONTAINER DETAILS

| Type Of Pallet | Piece/Box | Wight/Box | Sq.mtr./Box | Box/Pallet | Sq.mtr./Pallet | Weight/Pallet in KG. | Pallet Per Con. | Sum Of Box | Sum Weight in Kg. | Sum Sqmtr. |
|---------------------|-----------|-----------|-------------|------------|------------------|----------------------|-----------------|------------|-------------------|------------|
| A frame iron pallet | 01 | 70 | 3.34 | 48 | 160.32 | 3460 | 08 | 384 | 27680 | 1282.56 |
| | | | | | Total per contai | ner figures. | 08 | 384 | 27680 | 1282.56 |
| | | | | | | | | | | |





Delta Tiles Ltd.

8 A National Highway Opp. 132 kva Sub- Station, At lalpar, Morbi - 363642, Gujarat, INDIA.

Export Enquiry : +91 98256 04212 | export@geogres.in Domestic Enquiry: +91 97277 04212 | info@geogres.in

www.geogres.in

