



200X1200MM




Collection 2024



A NEW DIMENSION TO YOUR SPACE.

NOVELA

SERIES




The geogres wood collection reproduces the imperfection and heterogeneous details of reclaimed wooden planks, which fit in perfectly with the strict minimalism of design and lend warmth and authenticity to any ambience.





**EQUIPE YOUR HOME WITH
THE LATEST WOOD**



CRAFTED INNOVATIVELY
FOR BEAUTIFUL LIVING

200X1200MM


Nothing is more soothing to our mind than the colours and textures taken from the world of nature. This is because what is best is reflected in nature. When creating the collection of wood-like tiles, we focused on the combination of beauty and uniqueness of wood with durability and strength of porcelain stoneware and clinker tiles.



OUR COLLECTION. YOUR CREATION.

NOVELA
SERIES

7 Available in Color



BEIGE

BLONDE

BROWN

NATURAL

NUT

OCRE

ROBLE


A NEW DIMENSION
TO YOUR SPACE.

GALEFEB
FASHION



NOVELA BEIGE

NOVELA BEIGE



Size
200x1200mm

Surface
Matt

Random
24


A NEW DIMENSION TO YOUR SPACE.



NOVELA BLONDE



NOVELA BLONDE



Size
200x1200mm

Surface
Matt

Random
24


A NEW DIMENSION TO YOUR SPACE.



NOVELA BROWN



NOVELA BROWN



Size
200x1200mm

Surface
Matt


Random
24

A NEW DIMENSION
TO YOUR SPACE.



NOVELA NATURAL

NOVELA NATURAL



Size
200x1200mm

Surface
Matt


Random
24

A NEW DIMENSION
TO YOUR SPACE.



NOVELA NUT

NOVELA NUT



Size
200x1200mm

Surface
Matt


Random
24

A NEW DIMENSION TO YOUR SPACE.



NOVELA OCARE

NOVELA OCARE



Size
200x1200mm

Surface
Matt


Random
24

A NEW DIMENSION
TO YOUR SPACE.



NOVELA ROBLE

NOVELA ROBLE




Size
200x1200mm

Surface
Matt

Random
24

LAYING SOLUTIONS




The material should be carefully checked before fixing, especially tonality, caliber and choice. Claims cannot be accepted once the material is installed. The company declines all responsibility for laying without joints; minimum joint laying has a gap of 2 mm.

PORCELAIN STONWARE - STANDARD EN 14411 (ISO 13006) ANNEX G GROUP BIA, E 0.5%

TECHNICAL SPECIFICATIONS		STANDARDS	VALUES REQUIRED	OUR VALUES	
			RECTIFIED	MATT	
DIMENSIONS		Length and width	$\pm 0,3\%$, max 1 mm	In According	
		Thickness	$\pm 5\%$, max 0,5 mm	In According	
		Wedging	$\pm 0,3\%$, max 1,5 mm	In According	
		Straightness of the edges	$\pm 0,3\%$, max 0,8 mm	In According	
		Flatness	$\pm 0,4\%$, max 1,8 mm	In According	
STRUCTURE		Water absorption - average value %	$\leq 0,5\%$	In According	
		Breaking strength	$S \geq 1300$ N	$S \geq 2000$ N	
		Modulus of rupture	$R \geq 35$ N/mm ²	In According	
		Resistance to surface abrasion	According to classification indicator by manufacture	PEI IV	
THERMAL SHOCK		Coefficient of thermal linear expansion	9×10^{-6} max	In According	
		Thermal shock resistance	Resistant	Resistant	
		Resistance to frost	Resistant	Resistant	
SAFETY		Dynamic friction coefficient	DIN 51130	According to the space or the working area	R9
CHEMICAL RESISTANCE		Resistance to high concentrations of acids and alkalis	ISO 10545-13	Class GHC Min.	Class GHA
		Resistance to low concentrations of acids and alkalis		Class GLC Min.	Class GLA
		Stain resistance	ISO 10545-14	Min. class 3	5



INSTALLATION ADVICE



The longest side should be staggered no more than 300mm when laid in running bond.

V SHADES



The V-Shade classification indicates the level of shading of the product, ranked from V0 to V4.

PACKAGING

SIZE	THICKNESS	PCS./BOX	SQM/BOX	SQF/BOX
200x1200 mm	9 MM	5	1.20	12.91

FEATURES





Delta Tiles Ltd.

8 A National Highway Opp. 132 kva Sub- Station,
At Lalpar, Morbi - 363642, Gujarat, INDIA.

Export Enquiry : +91 98256 04212 | export@geogres.in
Domestic Enquiry: +91 97277 04212 | info@geogres.in

www.geogres.in